



member of

BYGGMA
group

FORESTIA Premium Ceiling

We are delighted to introduce the new Forestia Premium Ceiling panels, complete with a locking profile. The overall dimensions of the panels are 12x620x1220mm and they are delivered in packs of four panels. Forestia Premium Ceiling panels has a excellent screw strength.

Forestia Premium Ceiling panels are great for both new builds and renovations. If the underlay is straight and smooth, you won't need to tear down the old ceiling panels, but can install the new panels on top.

For new builds, or if you want to rip out the old panels and replace them with new ones, Forestia Premium Ceiling panels can be installed both across or along cc 300mm battens measuring 300 mm.




Product development is a key focus area for us. We take great pleasure in being able to offer our customers a product that provides a flat hold without the need to plaster and sand before painting.

For the best result, we recommend the following:

- Forestia Premium Ceiling panels should not be smoothed. After assembly and applying the first coat of paint, a good tip is to lightly sand the joins* Then apply one to two more coats.
- Fitting tools such as the Forestia guide rails and tapping block are specially adapted to the Forestia Premium Ceiling panels' profile, and must be used when installing.
- Follow the assembly instructions closely.

** This is important. The joins should not be smoothed, but lightly sanded* with 240-grit sandpaper after the first coat. Then apply another 1-2 coats. If you sand too hard or with paper that is too coarse, you will remove the surface of the primer tape.*



PATENT FAMILY
NO346085

One-Step walls

Forestia One-Step Wall is a foil covered, 600mm wide wall panel with lengths between 2390mm - 4200mm.

The panel has tongue and groove with a v-joint on the long sides. Forestia One-Step Wall is available in a number of decors.

The panels can be used as a cladding material in all buildings where the requirement for reaction to fire performance is D-s2,d0.

Forestia One-Step Wall can also be used as ceiling panels, thanks to its long lengths.

The panels have been pre-treated on one side. In the event of humid climatic conditions this may lead to possible warping of the wall panels. To prevent this, c/c 80 cm transoms can be fitted.

Where heavy items / technical installations are to be secured to the wall, additional transoms should be used. Where double panel cladding is used, there is no need for transoms.

Forestia One-Step Wall can be fitted to both timber and steel studwork.

Areas of application: Dry areas (Climate class 1)



Why One-Step walls?

Easy to install

Easy to keep clean

Can be painted

For both new houses/renovating

Strong surface

Economical



Forestia One-Step wall can be delivered in the following decors:



One-Step ceiling



Forestia One-Step ceiling is a foil-covered ceiling panel, profiled on all 4 sides with tongue and groove and a v-joint.

Forestia One-Step ceiling can be used as ceiling panels in all rooms where there are no requirements for moisture-resistant materials. The ceiling can be washed with any standard non-greasy detergent.

Areas of application: Dry areas, but can also be used in well ventilated domestic utility rooms and bathrooms (Climate class 1).

Why One-Step ceiling?

- A great looking ceiling
- Easy to install
- Easy to keep clean
- Can be painted
- Can be installed with downlights
- For both new houses/renovating
- Strong surface
- Economical



02TF White stucco (NCS S 0502-B)

Thickness: 12 mm
Net: 600 x 1200 mm
Gross: 620 x 1220 mm

12TF White linnen (NCS S 0502-Y)

Thickness: 12 mm
Net: 600 x 1200 mm
Gross: 620 x 1220 mm

14 TFL White Inspiration (NCS S 0500-N)


Thickness: 12 mm
Net : 600 x 1200 mm
Gross: 620 x 1220 mm

40TF White Silk (NCS S 0502-Y)

Thickness: 12 mm
Net: 600 x 1200 mm
Gross: 620 x 1220 mm

45TF White rustic (NCS S 0502-B)

Thickness: 12 mm
Net: 600 x 1200 mm
Gross: 620 x 1220 mm



Important! colours may vary from the printed photos.



Strong and solid wallpanels from Forestia.
The eliteX wallpanels are screw-resistant and has a strong surface.

The wall panels are moisture-resistant (climate class 2), and are therefore well suited to rooms with slightly higher ceilings air humidity.

The long sides of the panels have a locking profile and there is a drip nose the board's short end.
The wallpanels is delivered in format 12x620x2390mm and 12x620x2600mm.

Examples areas of use:

- garages
- industrial halls
- farmbuildings
- laundry room
- hobby room
- wardrobes



Mouldings:

All mouldings are in aluminium, and can be delivered in natural and white (with the exception of skirting mould, which are only delivered in natural).



Horizontally divided moulding



Corner moulding outside



Vertical two-part extension moulding



Two-part corner moulding inside



Skirting moulding

Choose between nine different decors:

eliteX wallpanels is a part of the official ecolabel of the Nordic countries - The Nordic Swan Ecolabel



The official ecolabel of the Nordic countries works to reduce the environmental impact from production and consumption of goods – and to make it easy for consumers and professional buyers to choose the environmentally best goods and services.



White

12x620x2390mm art.nr. 53836084

12x620x2600mm art.nr. 53837064



Jasmund

12x620x2390mm art.nr. 57205922

12x620x2600mm art.nr. 57205956



Mackenzie

12x620x2390mm art.nr. 57204817

12x620x2600mm art.nr. 57205918



Grey sand

12x620x2390mm art.nr. 53836016

12x620x2600mm art.nr. 55938680



Grey slate

12x620x2390mm art.nr. 53835982

12x620x2600mm art.nr. 55938661



Cement

12x620x2390mm art.nr. 60672868

12x620x2600mm art.nr. 60672874



Haze

12x620x2390mm art.nr. 60672833

12x620x2600mm art.nr. 60672866



Montello

12x620x2390mm art.nr. 60672877

12x620x2600mm art.nr. 60672878



Fresco

12x620x2390mm art.nr. 57204798

12x620x2600mm art.nr. 57204802



FORESTIA walls2paint

An ingenious product for those who are not particularly fond of plastering and finishing.

- 1. install the panels*
- 2. paint the panels in a color you like*
- 3. finished wall*

walls2paint has the same locking profile as walls4you. The panels are easy to fit and can then be painted in the color of your choice. So, there's no need for plastering and finishing. Timesaving.

It is important that the panels are fitted to very well executed studwork. As mentioned, there is no need for plaster - avoiding dust caused by sanding. You therefore save time, whilst providing a better working environment by avoiding all the dust. The wall panels can also be used when renovating.

Walls2Paint is produced in lengths of 2.39m, 2.60m, 2,80m and 3,0m. The width is a standard 60cm and the panels are 12mm thick.

Locking profile



FORESTIA walls 4 you

Forestia is happy to present its high-quality particle board for walls, complete with top quality wallpaper in stylish designs.

Choose your favorite decor and save hours of work!

- Easy to assemble with the smart locking profile
- Great corner solutions
- For newbuilds and renovations
- The boards is delivered in a practical 2-pack
- Hidden fastening points
- Dimensions 12x620x2390mm (Can also be delivered in lengths of 2,60m but then it is a minimum order of 200 panels in the same decor).

Mouldings with wallpaper is available in different decors.



Decor 4147 White deco

Comprises simpler and classic decorative finishes with understated surface for delicate, light and timeless rooms. Equally suitable in both private rooms as well as public environments.



Decor 10432 Winebox



Decor 10462 Rustic oak



Decor 10442 Winebox light grey



Decor 4147 White deco



Decor 10452 Crusoe



Forestia AS, Damvegen 31
N - 2435 Braskereidfoss, Norway
Tlf.: (+47) 38 13 71 00

www.forestia.com
E-mail: forestia.customerservice@byggma.no

Photo:
Forestia Walls2paint from the Norwegian
TV-show "Eventyrlig Oppussing"

