



member of

BYGGMA
group

FORESTIA Premium Ceiling

We are delighted to introduce the new Forestia Premium Ceiling panels, complete with a locking profile. The overall dimensions of the panels are 12x620x1220mm and they are delivered in packs of four panels. Forestia Premium Ceiling panels has a excellent screw strength.

Forestia Premium Ceiling panels are great for both new builds and renovations. If the underlay is straight and smooth, you won't need to tear down the old ceiling panels, but can install the new panels on top.

For new builds, or if you want to rip out the old panels and replace them with new ones, Forestia Premium Ceiling panels can be installed both across or along cc 300mm battens measuring 300 mm.





Product development is a key focus area for us. We take great pleasure in being able to offer our customers a product that provides a flat hold without the need to plaster and sand before painting.

For the best result, we recommend the following:

- Forestia Premium Ceiling panels should not be smoothed. After assembly and applying the first coat of paint, a good tip is to lightly sand the joins* Then apply one to two more coats.
- Fitting tools such as the Forestia guide rails and tapping block are specially adapted to the Forestia Premium Ceiling panels' profile, and must be used when installing.
- Follow the assembly instructions closely.

** This is important. The joins should not be smoothed, but lightly sanded* with 240-grit sandpaper after the first coat. Then apply another 1-2 coats. If you sand too hard or with paper that is too coarse, you will remove the surface of the primer tape.*



PATENT PENDING

One-Step walls

Forestia One-Step Wall is a foil covered, 600mm wide wall panel with lengths between 2390mm - 4200mm.

The panel has tongue and groove with a v-joint on the long sides. Forestia One-Step Wall is available in a number of decors.

The panels can be used as a cladding material in all buildings where the requirement for reaction to fire performance is D-s2,d0.

Forestia One-Step Wall can also be used as ceiling panels, thanks to its long lengths.

The panels have been pre-treated on one side. In the event of humid climatic conditions this may lead to possible warping of the wall panels. To prevent this, c/c 80 cm transoms can be fitted.

Where heavy items / technical installations are to be secured to the wall, additional transoms should be used. Where double panel cladding is used, there is no need for transoms. Forestia One-Step Wall can be fitted to both timber and steel studwork.

Areas of application: Dry areas (Climate class 1)



Why One-Step walls?

Easy to install

Easy to keep clean

Can be painted

For both new houses/renovating

Strong surface

Economical



Forestia One-Step wall can be delivered in the following decors:

02TF White stucco	14TFL White inspiration	40TF White silk	45TF White rustic	12TF White linnen	07F Antique white hessian	08F White hessian
14243 Light Textile	14244 Grey Textile	50F Bohemian beige	55F Trendline	54Trendline Crystal White		

Important! colors vary from the printed photos.



One-Step ceiling



Forestia One-Step ceiling is a foil-covered ceiling panel, profiled on all 4 sides with tongue and groove and a v-joint.

Forestia One-Step ceiling can be used as ceiling panels in all rooms where there are no requirements for moisture-resistant materials. The ceiling can be washed with any standard non-greasy detergent.

Areas of application: Dry areas, but can also be used in well ventilated domestic utility rooms and bathrooms (Climate class 1).

Why One-Step ceiling?

A great looking ceiling
Easy to install
Easy to keep clean
Can be painted
Can be installed with downlights
For both new houses/renovating
Strong surface
Economical



02TF White stucco (NCS S 0502-B)

Thickness: 12 mm
Net: 600 x 1200 mm
Gross: 620 x 1220 mm

12TF White linnen (NCS S 0502-Y)

Thickness: 12 mm
Net: 600 x 1200 mm
Gross: 620 x 1220 mm

14 TFL White Inspiration (NCS S 0500-N)

Thickness: 12 mm
Net : 600 x 1200 mm
Gross: 620 x 1220 mm

21TF Sirius (NCS S 0500-N)

Thickness: 12 mm
Net: 600 x 1200 mm
Gross: 620 x 1220 mm

40TF White Silk (NCS S 0502-Y)

Thickness: 12 mm
Net: 600 x 1200 mm
Gross: 620 x 1220 mm

45TF White rustic (NCS S 0502-B)

Thickness: 12 mm
Net: 600 x 1200 mm
Gross: 620 x 1220 mm



Important! colours may vary from the printed photos.

Brush painted wall panels

Forestia 6-board panel with a brush-painted surface comes in 12mm thickness and with tongue and groove on the long sides.

- The panels have a washable, durable surface.
- Easy and quick installation
- The panels can be fitted either to an existing wall or directly onto studwork.
- Can be delivered in lengths, 2,39m and 2,74m.
- Is suitable for both new construction and renovation





FORESTIA walls2paint

An ingenious product for those who are not particularly fond of plastering and finishing.

- 1. install the panels*
- 2. paint the panels in a color you like*
- 3. finished wall*

walls2paint has the same locking profile as walls4you. The panels are easy to fit and can then be painted in the color of your choice. So, there's no need for plastering and finishing. Timesaving.

It is important that the panels are fitted to very well executed studwork. As mentioned, there is no need for plaster - avoiding dust caused by sanding. You therefore save time, whilst providing a better working environment by avoiding all the dust. The wall panels can also be used when renovating.

Walls2Paint is produced in lengths of 2.39m, 2.60m, 2,80m and 3,0m. The width is a standard 60cm and the panels are 12mm thick.

Locking profile



FORESTIA walls 4 you

Forestia is happy to present its high-quality particle board for walls, complete with top quality wallpaper in stylish designs. We have selected a wide range of wallpapers.

Choose the combinations you like and save hours of work!

- A wide range of designs
- Combine colors and designs
- Easy to assemble with the smart locking profile
- Great corner solutions
- For newbuilds and renovations
- The boards is delivered in a practical 2-pack
- Hidden fastening points
- Dimensions 12x620x2390mm (Can also be delivered in lengths of 2,60m but then it is a minimum order of 200 panels in the same decor).

Mouldings with wallpaper is available in many different decors.



Decor 14240 Driftwood

A wide range of decors

Comprises simpler decorative finishes with understated surface for delicate, light and timeless rooms. Equally suitable in both private rooms as well as public environments.

Comprises classic decorative finishes and surfaces. Numerous combinations where the classic striped wallpapers come with coordinating plain wallpapers. Exclusive and enduring results.

Comprises the very latest. Stylish both as a feature wall and for a whole room. Many variations.



Decor 14238 Metallic snow white



Decor 10462 Rustic oak



Decor 10442 Winebox light grey



Decor 14213 Plain off-white

Get Inspired!
See all our decors
forestia.com



Decor 14232 Metallic black



Forestia AS, Damvegen 31
N - 2435 Braskereidfoss, Norway
Tlf.: (+47) 38 13 71 00

www.forestia.com
E-mail: forestia.kundesenter@byggma.no